

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: UK REACH Regulations (SI 2019/758 as amended)

Revision date 01/11/2023 Revision Number 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

n/a

PL.7012, PL.7012/25, PL.7012/100, PL.7013, PL.7014

Product Name Safranin

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory chemicals

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

<u>Importer</u> <u>Manufacturer</u>

Pro-Lab Diagnostics 3 Bassendale Road

Bromborough Wirral Merseyside CH62 3QL, U.K.

For further information, please contact

E-mail address uksupport@pro-lab.co.uk

1.4. Emergency telephone number

Emergency Telephone +44 (0) 151 353 1613

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2 - (H319)
Flammable liquids	Category 3 - (H226)

2.2. Label elements



Signal word Warning

Hazard statements

H319 - Causes serious eye irritation

H226 - Flammable liquid and vapour

Precautionary statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P337 + P313 - If eye irritation persists: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
ethanol 64-17-5	10 - <25%	200-578-6	-	Flam. Liq. 2 (H225)	-	-	-
glycerol 56-81-5	1 - <2.5%	200-289-5	-	-	1	-	-
methanol 67-56-1	0.5 - <1%	200-659-6	-	Flam. Liq. 2 (H225) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >= 0.1% (UK REACH Article 59)

SECTION 4: First aid measures

Revision date 01/11/2023

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a doctor.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctorsTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources

(no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Other information

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containmentStop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapours or mists. Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using

this product.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	United Kingdom
ethanol	TWA: 1000 ppm
64-17-5	TWA: 1920 mg/m ³
	STEL: 3000 ppm
	STEL: 5760 mg/m ³
glycerol	TWA: 10 mg/m ³
56-81-5	STEL: 30 mg/m ³
methanol	TWA: 200 ppm
67-56-1	TWA: 266 mg/m ³
	STEL: 250 ppm
	STEL: 333 mg/m ³
	Sk*

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
ethanol 64-17-5		343 mg/kg bw/day [4] [6]	950 mg/m³ [4] [6] 1900 mg/m³ [5] [7]
glycerol 56-81-5			56 mg/m³ [5] [6]
methanol 67-56-1		20 mg/kg bw/day [4] [6] 20 mg/kg bw/day [4] [7]	130 mg/m³ [4] [6] 130 mg/m³ [4] [7] 130 mg/m³ [5] [6] 130 mg/m³ [5] [7]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
ethanol	87 mg/kg bw/day [4] [6]		114 mg/m³ [4] [6]
64-17-5			950 mg/m³ [5] [7]
glycerol 56-81-5	229 mg/kg bw/day [4] [6]		33 mg/m³ [5] [6]
methanol 67-56-1	4 mg/kg bw/day [4] [6] 4 mg/kg bw/day [4] [7]	4 mg/kg bw/day [4] [6] 4 mg/kg bw/day [4] [7]	26 mg/m³ [4] [6] 26 mg/m³ [4] [7] 26 mg/m³ [5] [6] 26 mg/m³ [5] [7]

Notes

[4] Systemic health effects.[5] Local health effects.[6] Long term.

[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater	Marine water	Marine water	Air
		(intermittent release)		(intermittent release)	
glycerol 56-81-5	0.885 mg/L	8.85 mg/L	0.0885 mg/L		
methanol 67-56-1	20.8 mg/L	1540 mg/L	2.08 mg/L		

Chemical name	Freshwater	Marine sediment	Sewage treatment	Soil	Food chain
	sediment				
glycerol	3.3 mg/kg sediment	0.33 mg/kg	1000 mg/L	0.141 mg/kg soil dw	
56-81-5	dw	sediment dw			
methanol	77 mg/kg sediment	7.7 mg/kg sediment	100 mg/L	100 mg/kg soil dw	
67-56-1	dw	dw	_		

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

AppearanceLiquidColourdark redOdourAlcoholic.

Odour threshold No information available

PropertyValuesRemarksMelting point / freezing pointNo data availableNone known

Initial boiling point and boiling range78 - 100 °C 78 - 100 °C @ 1013 hPa

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

~ 47 °C Flash point None known **Autoignition temperature** No data available None known **Decomposition temperature** None known None known No data available No data available None known pH (as aqueous solution) None known Kinematic viscosity No data available

Dynamic viscosity No data available None known Water solubility Soluble in water None known Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure No data available None known Relative density No data available None known

Bulk density
Liquid Density
No data available
No data available

Relative vapour density

No data available

None known

Particle characteristics

Particle SizeNo information availableParticle Size DistributionNo information availableExplosive propertiesNo information availableOxidising propertiesNo information available

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

Revision date 01/11/2023

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 11,482.00 mg/kg

 ATEmix (dermal)
 36,794.90 mg/kg

 ATEmix (inhalation-gas)
 88,613.10 ppm

 ATEmix (inhalation-dust/mist)
 54.60 mg/l

 ATEmix (inhalation-vapour)
 379.80 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ethanol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h
			= 133.8 mg/L (Rat) 4 h
glycerol	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat)4 h
methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h
			,

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
ethanol	-	LC50: 12.0 - 16.0mL/L (96h, Oncorhynchus mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: 13400 - 15100mg/L (96h, Pimephales promelas)	-	LC50: 9268 - 14221mg/L (48h, Daphnia magna) EC50: =2mg/L (48h, Daphnia magna)
glycerol	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-
methanol	-	LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 13500 - 17600mg/L (96h, Lepomis		-

macrochirus)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name		Partition coefficient		
etha	nol	-0.35		
glyc	erol	-1.75		
meth	anol	-0.77		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
ethanol	The substance is not PBT / vPvB
glycerol	The substance is not PBT / vPvB
methanol	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

SECTION 14: Transport information

<u>IATA</u>

14.1 UN number or ID number UN1993

14.2 UN proper shipping name Flammable liquid, n.o.s

14.3 Transport hazard class(es) 3 14.4 Packing group

Description UN1993, Flammable liquid, n.o.s, 3, III

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions A3 ERG Code 3L

Page 10/14

PL.7014 - Safranin

IMDG

14.1 UN number or ID number UN1993

14.2 UN proper shipping name Flammable liquid, n.o.s

14.3 Transport hazard class(es)14.4 Packing group

Description UN1993, Flammable liquid, n.o.s, 3, III, (47°C c.c.)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 223, 274, 955 **EmS-No** F-E, S-E

14.7 Maritime transport in bulk according to IMO instruments

No information available

<u>RID</u>

14.1 UN number or ID number UN1993

14.2 UN proper shipping name Flammable liquid, n.o.s

14.3 Transport hazard class(es) 314.4 Packing group |||

Description UN1993, Flammable liquid, n.o.s, 3, III

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 274, 601 Classification code F1

ADR

14.1 UN number or ID number UN1993

14.2 UN proper shipping name Flammable liquid, n.o.s

14.3 Transport hazard class(es) 314.4 Packing group |||

Description UN1993, Flammable liquid, n.o.s, 3, III, (D/E)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 274, 601
Classification code F1
Tunnel restriction code (D/E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Authorisations and/or restrictions on use:

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
methanol - 67-56-1	Use restricted. See item 69.	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH Regulations 2015 (as amended)

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

Named dangerous substances per COMAH Regulations 2015 (as amended)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
methanol - 67-56-1	500	5000

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Chemical name	The Biocidal Products Regulations 2001 (as amended)	
ethanol - 64-17-5	PT2	
	PT4	
	PT1	

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status Contact supplier for inventory compliance status **DSL/NDSL** Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS** Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status **KECL PICCS** Contact supplier for inventory compliance status AIIC Contact supplier for inventory compliance status **NZIoC** Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H370 - Causes damage to organs

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitisers

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP] Method Used Acute oral toxicity Calculation method Acute dermal toxicity Calculation method Acute inhalation toxicity - gas Calculation method Acute inhalation toxicity - vapour Calculation method Acute inhalation toxicity - dust/mist Calculation method Skin corrosion/irritation Calculation method Serious eye damage/eye irritation Calculation method Respiratory sensitisation Calculation method Skin sensitisation Calculation method Calculation method Mutagenicity Carcinogenicity Calculation method Reproductive toxicity Calculation method STOT - single exposure Calculation method STOT - repeated exposure Calculation method Acute aquatic toxicity Calculation method Chronic aquatic toxicity Calculation method Aspiration hazard Calculation method Ozone Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 01/11/2023

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet