

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: UK REACH Regulations (SI 2019/758 as amended)

Revision date 31/05/2024 Revision Number 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Basic Fuchsin

Product Code(s) PL.8014

Pure substance/mixture Mixture

Contains methanol.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory chemicals.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Pro-Lab Diagnostics 3 Bassendale Road Bromborough Wirral Merseyside CH62 3QL, U.K.

For further information, please contact

E-mail address uksupport@pro-lab.co.uk

Non-Emergency Telephone Number +44 (0) 151 353 1613

1.4. Emergency telephone number

Emergency Telephone

United Kingdom 999

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

| Flammable liquids | Category 2 - (H225) |
|---------------------------------------|---------------------|
| Acute toxicity - Oral | Category 4 - (H302) |
| Acute toxicity - Dermal | Category 3 - (H311) |
| Acute toxicity - Inhalation (Gases) | Category 3 - (H331) |
| Acute toxicity - Inhalation (Vapours) | Category 3 - (H331) |

| Serious eye damage/eye irritation | Category 2 - (H319) |
|--------------------------------------------------|---------------------|
| Specific target organ toxicity — single exposure | Category 2 - (H371) |

2.2. Label elements

Contains methanol.



Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapour.

H302 - Harmful if swallowed.

H311 - Toxic in contact with skin.

H319 - Causes serious eye irritation.

H331 - Toxic if inhaled.

H371 - May cause damage to organs.

Precautionary statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P321 - Specific treatment (see medical advice on this label).

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Other hazards No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | Weight-% | EC No (EU | UK REACH registration | Classification according | Specific | M-Factor | M-Factor |
|---------------|-----------|-----------|-----------------------|--------------------------|---------------|----------|-------------|
| | | Index No) | number | to GB CLP (SI | concentration | | (long-term) |
| | | | | 2020/1567 as | limit (SCL) | | |
| | | | | amended) | | | |
| ethanol | 50 - | 200-578-6 | - | Eye Irrit. 2 (H319) | - | - | - |
| 64-17-5 | <100% | | | Flam. Liq. 2 (H225) | | | |
| methanol | 2.5 - <5% | 200-659-6 | - | Flam. Liq. 2 (H225) | STOT SE 1 :: | - | - |
| 67-56-1 | | | | Acute Tox. 3 (H301) | C>=10% | | |

| | | A (T 0 (11044) | 0.707.05.0 | |
|--|--|---------------------|--------------|--|
| | | Acute Tox. 3 (H311) | STOT SE 2 :: | |
| | | Acute Tox. 3 (H331) | 3%<=C<10% | |
| | | STOT SE 1 (H370) | | |

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >= 0.1% (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing

has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained

personnel should) give oxygen.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapour or mist.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Coughing and/ or wheezing.

Difficulty in breathing.

Effects of Exposure May cause damage to organs if swallowed. May cause damage to organs in contact with

skin. May cause damage to organs if inhaled. May cause damage to organs.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Page 3 / 14

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe

vapour or mist.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if **Environmental precautions**

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

> vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open Advice on safe handling

flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof

tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use

according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Do not breathe vapour or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapour or mist.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

| Chemical name | United Kingdom |
|---------------|------------------------------|
| ethanol | TWA: 1000 ppm |
| 64-17-5 | TWA: 1920 mg/m ³ |
| | STEL: 3000 ppm |
| | STEL: 5760 mg/m ³ |
| methanol | TWA: 200 ppm |
| 67-56-1 | TWA: 266 mg/m ³ |
| | STEL: 250 ppm |
| | STEL: 333 mg/m ³ |
| | Sk* |

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

| Chemical name | Oral | Dermal | Inhalation |
|---------------------|------|----------------------------------------------------|----------------------------------------------------------------------------------|
| ethanol 64-17-5 | | 343 mg/kg bw/day [4] [6] | 950 mg/m³ [4] [6] 1900 mg/m³ [5] [7] |
| methanol 67-56-1 | | 20 mg/kg bw/day [4] [6] 20 mg/kg bw/day [4] [7] | 130 mg/m³ [4] [6] 130 mg/m³ [4] [7] 130 mg/m³ [5] [6] 130 mg/m³ [5] [7] |

Notes

[4] Systemic health effects.[5] Local health effects.

[6] Long term. [7] Short term.

Derived No Effect Level (DNEL) - General Public

| Chemical name | Oral | Dermal | Inhalation |
|---------------------|--------------------------------------------------|--------------------------------------------------|------------------------------------------------------------------------------|
| ethanol 64-17-5 | 87 mg/kg bw/day [4] [6] | | 114 mg/m³ [4] [6] 950 mg/m³ [5] [7] |
| methanol 67-56-1 | 4 mg/kg bw/day [4] [6] 4 mg/kg bw/day [4] [7] | 4 mg/kg bw/day [4] [6] 4 mg/kg bw/day [4] [7] | 26 mg/m³ [4] [6] 26 mg/m³ [4] [7] 26 mg/m³ [5] [6] 26 mg/m³ [5] [7] |

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Predicted No Effect Concentration (PNEC)

| Chemical name | Freshwater | Freshwater (intermittent release) | Marine water | Marine water (intermittent release) | Air |
|---------------------|------------|-----------------------------------|--------------|-------------------------------------|-----|
| | | (intermittent release) | | (intermittent release) | |
| methanol 67-56-1 | 20.8 mg/L | 1540 mg/L | 2.08 mg/L | | |

| Chemical name | Freshwater sediment | Marine sediment | Sewage treatment | Soil | Food chain |
|---------------------|-------------------------|--------------------------|------------------|-------------------|------------|
| methanol 67-56-1 | 77 mg/kg sediment dw | 7.7 mg/kg sediment dw | 100 mg/L | 100 mg/kg soil dw | |

8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If

> exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapour or mist.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Liquid **Appearance** Colour Magenta Odour Alcoholic.

Odour threshold No information available

Values Property Remarks • Method

Melting point / freezing point No data available None known

Initial boiling point and boiling range~ 78 °C ~ 78°C @ 1013 hPa

Flammability No data available None known None known

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

~ 13 °C None known Flash point **Autoignition temperature** None known No data available None known

Decomposition temperature No data available None known

pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Water solubility No data available Soluble in water None known Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure No data available None known None known

Relative density No data available No data available **Bulk density Liquid Density** No data available

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available No information available **Explosive properties Oxidising properties** No information available

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Excessive heat.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. Toxic by inhalation. (based on components).

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation. Toxic in contact with skin. (based on

components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in

breathing.

Acute toxicity Toxic in contact with skin. Toxic by inhalation. Harmful if swallowed.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,658.80 mg/kg **ATEmix (dermal)** 300.00 mg/kg

ATEmix (inhalation-gas) 700.00 ppm ATEmix (inhalation-vapour) 3.00 mg/l ATEmix (inhalation-dust/mist) 9.753 mg/l

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|--------------------|------------------------|------------------------|
| ethanol | = 7060 mg/kg (Rat) | - | = 116.9 mg/L (Rat) 4 h |
| | | | = 133.8 mg/L (Rat) 4 h |
| methanol | = 6200 mg/kg (Rat) | = 15840 mg/kg (Rabbit) | = 22500 ppm (Rat) 8 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicityNo information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). May cause damage to organs if swallowed. May cause damage to organs in contact with skin.

May cause damage to organs if inhaled.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|---------------|----------------------|-----------------------|----------------|--------------|
| | | | microorganisms | |
| ethanol | - | LC50: 12.0 - 16.0mL/L | - | LC50: 9268 - |

| | (96h, Oncorhynchus mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: 13400 - 15100mg/L (96h, Pimephales promelas) | 14221mg/L (48h, Daphnia magna) EC50: =2mg/L (48h, Daphnia magna) |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| methanol | - LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus) | - |

12.2. Persistence and degradability

Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|---------------|-----------------------|
| ethanol | -0.35 |
| methanol | -0.77 |

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

| Chemical name | PBT and vPvB assessment |
|---------------|---------------------------------|
| ethanol | The substance is not PBT / vPvB |
| methanol | The substance is not PBT / vPvB |

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

<u>IATA</u> 14.1 UN number or ID number UN1987 14.2 UN proper shipping name Alcohols, n.o.s. 14.3 Transport hazard class(es) 3

14.4 Packing group

UN1987, Alcohols, n.o.s., 3, II Description

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions A3, A180 **ERG Code** 3L

IMDG

UN1987 14.1 UN number or ID number 14.2 UN proper shipping name Alcohols, n.o.s.

14.3 Transport hazard class(es) 14.4 Packing group

Description UN1987, Alcohols, n.o.s., 3, II, (13°C c.c.)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 274 F-E S-D

No information available 14.7 Maritime transport in bulk according to IMO instruments

RID

14.1 UN number or ID number UN1987 14.2 UN proper shipping name Alcohols, n.o.s.

14.3 Transport hazard class(es) 14.4 Packing group Ш

Description UN1987, Alcohols, n.o.s., 3, II

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions 274, 601, 640C

Classification code

ADR

14.1 UN number or ID number UN1987 14.2 UN proper shipping name Alcohols, n.o.s.

14.3 Transport hazard class(es) 14.4 Packing group

UN1987, Alcohols, n.o.s., 3, II, (D/E) Description

Not applicable 14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions 274, 601, 640C

Classification code **Tunnel restriction code** (D/E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Authorisations and/or restrictions on use:

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

| Chemical name | Restricted substance per REACH Annex XVII | Substance subject to authorisation per REACH Annex XIV |
|--------------------|-------------------------------------------|--------------------------------------------------------|
| methanol - 67-56-1 | Use restricted. See item 69. | - |

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH (SI 2015/483 as amended)

H2 - ACUTE TOXIC

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

Named dangerous substances per COMAH (SI 2015/483 as amended)

| Chemical name | Lower-tier requirements (tons) | Upper-tier requirements (tons) |
|--------------------|--------------------------------|--------------------------------|
| methanol - 67-56-1 | 500 | 5000 |

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

| Chemical name | The Biocidal Products Regulations 2001 (as amended) |
|-------------------|-------------------------------------------------------------|
| ethanol - 64-17-5 | Product-type 2: Disinfectants and algaecides not intended |
| | for direct application to humans or animals Product-type 4: |
| | Food and feed area Product-type 1: Human hygiene |

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons and Explosive Precursors

Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status DSL/NDSL Contact supplier for inventory compliance status Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS IECSC** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **KECI PICCS** Contact supplier for inventory compliance status Contact supplier for inventory compliance status AIIC **NZIoC** Contact supplier for inventory compliance status **TCSI** Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AllC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H370 - Causes damage to organs

Legend

SVHC: Substances of Very High Concern for Authorisation:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

+ Sensitisers

Classification procedure

| Classification according to Demulation (EC) No. 4070/0000 [CLD] | Mathaalllaad |
|-----------------------------------------------------------------|--------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used |
| Acute oral toxicity | Calculation method |
| Acute dermal toxicity | Calculation method |
| Acute inhalation toxicity - gas | Calculation method |
| Acute inhalation toxicity - vapour | Calculation method |
| Acute inhalation toxicity - dust/mist | Calculation method |
| Skin corrosion/irritation | Calculation method |
| Serious eye damage/eye irritation | Calculation method |
| Respiratory sensitisation | Calculation method |
| Skin sensitisation | Calculation method |
| Mutagenicity | Calculation method |
| Carcinogenicity | Calculation method |
| Reproductive toxicity | Calculation method |
| STOT - single exposure | Calculation method |
| STOT - repeated exposure | Calculation method |
| Acute aquatic toxicity | Calculation method |
| Chronic aquatic toxicity | Calculation method |
| Aspiration hazard | Calculation method |
| Ozone | Calculation method |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

31/05/2024

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet