

## Safety assessment Mueller Hinton Agar (MHA)

According to Regulation (EC) No. 1907/2006  
Issue date: 2014-10-01, Replaces version: 2004-05-11



### Article number

TN 1162, TN 1250

### Trade name

Mueller Hinton Agar (MHA)

### Intended use

For use in the antimicrobial sensitivity test using the agar diffusion method.

### Name of supplier

sifin diagnostics gmbh  
Berliner Allee 317-321  
13088 Berlin, Germany

### Contact for technical information

Phone: +49 30 927 030-0, Head of Department Culture Media  
Telefax: +49 30 927 030-30  
E-mail: [info@sifin.de](mailto:info@sifin.de)

### E-Mail (competent person)

[msds@conceptec.de](mailto:msds@conceptec.de)

### Emergency telephone number

Phone: +49 30 927 030-0, Safety Officer for Medical Devices  
Mo. - Th. 7.30 a.m. - 4.15 p.m., Fr. 7.30 a.m. - 3.00 p.m.

### Classification of the mixture

Classification according to Regulation (EC) 1272/2008 (CLP): This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 (CLP).

Classification according to Directive 1999/45/EC (DPD): This mixture is classified as not hazardous according to Directive 1999/45/EC.

### Label elements

Labelling according to Regulation (EC) 1272/2008 [CLP]: Not applicable.

Labelling according to Directive 1999/45/EC (DPD): Not applicable.

### Other hazards

None known. Minimum standards for protection measures (TRGS 500) as common in the chemical industry should be followed.

**According to Article 31 of the REACH Regulation, drawing up a safety data sheet for this product is unnecessary, as the product is neither classified as a hazardous material nor does it contain hazardous ingredients or materials with Community (EC) workplace exposure limits or substances of very high concern (SVHC) above their particular legal nominal limits. Under REACH Regulation (EC) no. 1907/2006 (REACH), no safety data sheet is therefore required and also not available in this case.**