

Material Safety Data Sheet

Pseudomonas-CN-Selective-Supplement



According to Regulation (EC) No. 1907/2006
Version 2.0, Issue Date: 2014-05-23, Replaces version: 2004-07-27

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Article number

TN 1323

Trade name

Pseudomonas-CN-Selective-Supplement

1.2 Relevant Identified uses of the substance or mixture and uses advised against

Intended use

Used to detect and count *Pseudomonas aeruginosa* from water samples, food and other material.

Uses advised against: -

1.3 Details of the supplier of the Safety data sheet

Name of supplier

sifin diagnostics gmbh
Berliner Allee 317-321
13088 Berlin, Germany

Contact for technical information

Telephone: +49 (0)30 927030-0 (Head of Department Culture Media)
Telefax: +49 (0)30 927030-30
E-Mail: info@sifin.de

E-Mail, competent person

msds@conceptec.de

1.4 Emergency telephone number

Phone: +49 (0)30-927030-0, Safety Officer for Medical Devices
Mo. – Th. 7.30 a.m. - 4.15 p.m., Fr. 7.30 a.m. - 3.00 p.m.

SECTION 2: Hazards Identification

2.1 Classification of the mixture

Classification according to Regulation (EC) 1272/2008 (CLP)



Acute toxicity, Category 4, Oral, H302

Skin Irritation, Category 2, H315



Eye Irritation, Category 2, H319



Respiratory Sensitization to, Category 1, H334

Specific Target Organ Toxicity, Single Exposure, H335

Acute Aquatic Toxicity, Category 1, H400

Classification according to Directive 1999/45/EG (DPD)



Xn, Harmful, R22

Xi, Irritant, R36/37/38



Xn, Sensitizing, R42

N, Dangerous for the environment, R50

2.2 Label elements

Labelling according to Regulation (EC) 1272/2008 (CLP)

Hazard elements for labelling, contains Cetrimide, Nalidixic acid

Hazard pictogramme(s)



Material Safety Data Sheet

Pseudomonas-CN-Selective-Supplement



According to Regulation (EC) No. 1907/2006
Version 2.0, Issue Date: 2014-05-23, Replaces version: 2004-07-27

Signal word	Danger
Hazard statements (H-statement)	H302: Harmful if swallowed. H315: Causes skin irritation. H319: Causes serious eye irritation. H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335: May cause respiratory irritation. H400: Very toxic to aquatic life.
Precautionary Statements (P-statement)	P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P304 + P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.
Zusätzliche Kennzeichnung:	None.
Labelling according to Directive 1999/45/EG (DPD)	
Hazard elements for labelling, contains	Cetrimide, Nalidixic acid
Hazard symbols	
Risk phrases (R-phrases)	R22: Harmful if swallowed. R36/37/38: Irritating to eyes, respiratory system and skin. R42: May cause sensitization by inhalation. R50: Very toxic to aquatic organisms.
Safety phrases (S-phrases)	S22: Do not breathe dust. S25: Avoid contact with eyes. S37: Wear suitable gloves.. S46: If swallowed, seek medical advice immediately and show the container or label. S61: Avoid release to the environment. Refer to special instructions/ material safety data sheet.

2.3 Other hazards
None known. Minimum standards for protection measures (TRGS 500) as common in the chemical industry should be followed.

SECTION 3: Composition/Information on Ingredients

3.2 Mixtures

Description

Mixture of the following hazardous substances with non-hazardous additives

Hazardous ingredients





Substance name	CAS-No.	EC-No.	REACH-No.
Cetrimid	57-09-0	200-311-3	-

Material Safety Data Sheet

Pseudomonas-CN-Selective-Supplement



According to Regulation (EC) No. 1907/2006
Version 2.0, Issue Date: 2014-05-23, Replaces version: 2004-07-27

Conc. (w/w %)	Classification acc. to DSD	Classification acc. to CLP	Note
≥ 90 - < 100 %	 Xn, R22 Xi, R36/37/38 N, R 50	 Acute Tox. 4, H302 Skin Irrit.. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aqua. Acute. 1, H400	[1]
Name der Substanz	CAS-Nr.	EG-Nr.	REACH No.
Nalidixinsäure	389-08-2	206-846-7	
Konz. (w/w %)	Classification acc. to DSD	Classification acc. to CLP	Note
≥ 5 - < 10 %	 Xn, R42	 Sens. Resp. 1, H334	[1]

[1] = Hazardous or environmentally harmful substance; [2] = substance with a Community workplace exposure limit; [3] = PBT substance; [4] = vPvB substance; [5] = SVHC-candidate (substance of very high concern).
For the full text of the R-phrases / H-Statements mentioned in this section, see section 16.

SECTION 4: First-Aid-Measures

4.1 Description of First-Aid-Measures

General Advice: Immediately remove any clothing soiled by the product.

Inhalation: Fresh air. If breathing stops: immediately apply artificial breathing, if necessary oxygen. Call a physician immediately.

Skin contact: Wash off with water and soap. Call a physician immediately.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician immediately.

Ingestion: Give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are in wide awake and fully conscious), administer activated charcoal (20-40g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, cough, breathing difficulties, depressed respiration, shortness of breath, agitation, cardiovascular disorders, convulsions.

4.3 Indications of any immediate medical attention and special treatment

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, carbon dioxide (CO₂), foam, extinguishing powder.

Unsuitable extinguishing media: Water full jet

5.2 Special Hazards arising from the substance or mixture

Combustible. Hazardous combustion products: hydrogen bromide, nitrogen oxides

5.3 Advice for fire fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing (see Section 8).

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area. Wear

Material Safety Data Sheet

Pseudomonas-CN-Selective-Supplement



According to Regulation (EC) No. 1907/2006
Version 2.0, Issue Date: 2014-05-23, Replaces version: 2004-07-27

appropriate protective equipment (see Section 8).

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and material for containment and cleaning up

Cover drains. Collect, bind and pump off spills. Observe possible material restrictions (see Section 7.2 and 10.5). Take up dry. Dispose of properly. Clean up affected area. Avoid formation of dusts.

6.4 Reference to other sections

See Section 7 for Handling and Storage, Section 8 for appropriate personal protective equipment and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid generation of dusts. In case of formation of dusts: ensure adequate ventilation.

Precautions against fire and explosion: No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storing conditions:

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Recommended storage temperature: light-protected, at 2...8 °C.

Packaging materials: Keep only in the original container.

Conditions for storage rooms and vessels: No special measures necessary.

Hints for joint storage: Store separate from products of the following storage classes: 1, 5.1A, 6.2, 7.

Joint storage with products of storage classes 2.1, 3, 4.1A, 4.2, 4.3, 5.1B-C, 5.2, 6.1A-B allowed, if specific conditions are kept (for further information: see Section 7.2 TRGS 510).

Storage class: 10-13

7.3 Specific end use(s)

None known.

SECTION 8: Exposure controls / Personal protective equipment

8.1 Control parameters

Exposure limits

Substance	CAS-No.	Value	Limit value	Source
-	-	-	-	-

Control- and monitoring procedures: see for example "NIOSH Manual of Analytical Methods", National Institute for Occupational Safety and Health.

DNEL- / DMEL-Value

Substance	Cetrimide	-
EC-No.	200-311-3	-
CAS-No.	57-09-0	-

Material Safety Data Sheet

Pseudomonas-CN-Selective-Supplement



According to Regulation (EC) No. 1907/2006
Version 2.0, Issue Date: 2014-05-23, Replaces version: 2004-07-27

Exposure Route	Species	Time of exposure / Effect	Value	Note
Inhalation	Worker	Acute / local	0,05 mg/kg	-
Dermal	Worker	Longterm / systemic	0,4 mg/kg body weight	-
Dermal	Worker	Langterm / local	0,05 mg/cm ²	-
Dermal	Worker	Acut / local	0,25 mg/cm ²	-

PNEC-Value

Substance	Cetrimide
EC-No.	200-311-3
CAS-No.	57-09-0

Environmental compartment	Species / Time of exposure / Effect	Value
Fresh water	-	0,022 µg/l
Marine water	-	0,0022 µg/l
STP	-	0,19 mg/l
Soil	,	0,21 mg/kg

8.2 Exposure controls

Appropriate engineering controls: Technical measures and appropriate working procedures should be given priority over the use of personal protective equipment:

Individual protection measures, such as personal protective equipment: Do not breathe dusts. Avoid skin and eye contact.

Hygienic measures	Keep away from food and feeding stuff. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Separate storage of protective clothes.	
Skin protection	Protective clothes	
Hand protection	Nitrile rubber (reference substance: potassium tellurite)	
	Full contact:	Splash contact:
Glove material	Nitrile rubber	Nitrile rubber
Glove thickness (mm)	≥ 0.11	≥ 0.11
Break through time (min)	≥ 480	≥ 480
	The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.	
Respiratory protection	Respiratory protection in case of dust formation. Filtering device: Filter Type P2.	

Material Safety Data Sheet

Pseudomonas-CN-Selective-Supplement



According to Regulation (EC) No. 1907/2006
Version 2.0, Issue Date: 2014-05-23, Replaces version: 2004-07-27

Eye/ face protection	Goggles.
Thermal hazards	None known.
Others	None known.
Environmental Exposure controls -	Do not empty into drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Solid
Form	powder
Particle size	Not applicable
Colour	white
Odour	Not applicable
Odour threshold	Not applicable
pH	No data available
Melting point / freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Lower flammability or explosive Limits	No data available
Upper flammability or explosive Limits	No data available
Minimum ignition energy	No data available
Vapour pressure	Not applicable
Relative density	No data available
Solubility(ies)	No data available
Partition coefficient; n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Thermal decomposition	No data available
Viscosity	No data available
Explosive properties	The product itself is not explosive.
Oxidising properties	The product itself is not oxidizing.

9.2 Other Information

Density	No data available
Bulk density	No data available

Material Safety Data Sheet

Pseudomonas-CN-Selective-Supplement



According to Regulation (EC) No. 1907/2006
Version 2.0, Issue Date: 2014-05-23, Replaces version: 2004-07-27

Further information	Not applicable
---------------------	----------------

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substance or mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may be generally assumed.

10.2 Chemical Stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates and nitrous acid possible formation of nitrosamines.

Violent reactions possible with:

Strong oxidants.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

Hazardous combustion products: hydrogen bromide, nitrogen oxides.

SECTION 11: Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity

Exposition	LD50/LC50-Value	Species/test system	Source
Oral	441 mg/kg (ATE)	Calculation method	

Skin irritation

No data available.

Eye irritation

No data available.

Sensitisation: No data available.

Repeated dose toxicity: No data available.

Mutagenicity: No data available.

Carcinogenicity: No data available.

Toxic for reproduction: No data available.

STOT – single exposure: No data available.

STOT – repeated exposure: No data available.

11.2 Further Information

Symptoms related to the physical, chemical and toxicological characteristics:

Systemic effects:

After absorption: agitation, depressed respiration, convulsions, shortness of breath, cardiovascular disorders.

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

No data available

Further toxicological information: No data available.

Material Safety Data Sheet

Pseudomonas-CN-Selective-Supplement



According to Regulation (EC) No. 1907/2006
Version 2.0, Issue Date: 2014-05-23, Replaces version: 2004-07-27

Components: Cetrimide

Acute Toxicity

Exposition	LD50/LC50-Value	Species/test system	Source
Oral	410 mg/kg	rat	Supplier MSDS

Skin Irritation

Causes skin irritation.

Eye Irritation

Rabbit, result: severe irritations (RTECS). Causes serious eye irritation.

STOT – single exposure: May cause sensitization by inhalation.

Nalidixic acid:

Acute Toxicity

Exposition	LD50/LC50-Value	Species/test system	Source
Oral	2040 mg/kg	rat	Supplier MSDS

SECTION 12: Ecological information

Mixture

12.1 Toxicity

Toxicity	Species/test system	Value
-	-	-

12.2 Persistence and degradability

Biodegradation

Method	Elimination rate	Classification	Source
-	-	-	-

Biodegradation/Further Information: No data available.

Further Information: No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of der PBT & vPvB assessment:

Product does not contain substances which meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects

Biological effects: No data available.

Further information on ecology: Discharge in the environment must be avoided.

Components: Cetrimide

Acute Toxicity

Toxicity	Species/test system	Value
<i>Toxicity to fish</i>		

Material Safety Data Sheet

Pseudomonas-CN-Selective-Supplement



According to Regulation (EC) No. 1907/2006
Version 2.0, Issue Date: 2014-05-23, Replaces version: 2004-07-27

LC50	Danio rerio (zebra fish, OECD 203, 96 h (ECHA))	0,2 mg/l
<i>Toxicity to daphnia and other aquatic invertebrates</i>		
EC50	Daphnia magna (great water flea), OECD 202, 48 h (ECHA)	0,037 mg/l
<i>Toxicity to algae</i>		
ErC50	Desmodesmus subspicatus (green algae), 72 h (ECHA)	0,004 mg/l
<i>Toxicity to bacteriae</i>		
EC50	Photobacterium phosphoreum (Lit.)	9,8 mg/l

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product: Recommendation: Waste can be disposed of in appropriate and approved facilities in compliance with applicable technical regulations following consultation with approved waste disposal management companies and authorities in charge.

Uncleaned Packaging: Recommendation: Completely emptied packages can be recycled. Packing which cannot be properly cleaned must be disposed of. Observe local/state/federal regulations.

Cleaned Packaging: Non-contaminated packages must be recycled or disposed of.

Waste codes / waste designations according to EWC / AVV: The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

	ADR	RID	ADNR	IMDG	IATA
14.1 UN-Number	UN3077				
14.2 Proper shipping name	Environmentally hazardous substance, solid, n.o.s (cont. Cetrimide)				
14.3 Hazard class	9				
14.4 Packing group	III				
Tunnel code	E				
EmS	F-A, S-F				
14.5 Environmental Hazards: Marine pollutant					
14.6 Special precautions for user: -					
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IPBC code: -					

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed. For information on labelling please refer to section 2 of this document.

EU legislations: Subject to Directive 96/82/EG: not applicable.

National Regulations: -

Restrictions to occupation: Observe employment restrictions for pregnant and nursing mothers according to the 'mother protection guideline' (92/85/EEC). Observe restrictions to employment for juveniles according to the 'protection of young people at work directive' (94/33/EC).

Material Safety Data Sheet

Pseudomonas-CN-Selective-Supplement



According to Regulation (EC) No. 1907/2006
Version 2.0, Issue Date: 2014-05-23, Replaces version: 2004-07-27

TA Air

CAS-No.	Substance	Number	Class
-	-	-	-

Water hazard class: 3(classification according to Annex 4 VwVWS (Deutschland)).

15.2 Chemical safety assessment

For this product a chemical assessment was not carried out.

SECTION 16: Other Information

Further Information: None.

Full text of R-phrases referred to under Sections 2 and 3

R-phrases	Text
22	Harmful if swallowed.
36/37/38	Irritating to eyes, respiratory system and skin.
42	May cause sensitization by inhalation.
50	Very toxic to aquatic organisms.

Full text of H-Statements referred to under Sections 2 and 3

H-statement	Text
302	Harmful if swallowed.
315	Causes skin irritation.
319	Causes serious eye irritation.
334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
335	May cause respiratory irritation.
400	Very toxic to aquatic life.

Further Information: The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Changes: The present MSDS is a completely revised MSDS fulfilling the requirements of Annex II of Regulation (EC) 1907/2006 and Annex II of Regulation (EC) 453/2010.